

TABLE OF CONTENTS//

NOTATION	/ TYPES OF VENEERS	1
TYPES OF	VENEERS / POLIPROPYLENE	2
DOOR CON	STRUCTION	3
NON-REBA	TED DOORS	4
VSG BLAC	K GLASS	5
SLIM SERI	ES	6
MINORIS		6
PEGASUS		6
ELEGANCE		6
PRIM		б
CHICAGO		6
FRAME DO	ORS	7
LOFT ELEGANO	CE	7
LAMELLA		8
ELEGANCE		9
LIMES		10
PEGASUS		11
CHICAGO		12
APUS		13
PRIM		14
CORVUS		15
MENSA		16
MINORIS		17
TRAME		18
CREDIS		
VIRGO		
SYRIUSZ		
TRE		
DALIA		
FIORE		
DRACO		
FUTURO		
PANEL DO	ORS	24
ALBATROS		
ROCO		
WEGA		25

LACQUERE	D DOORS	30
ARIES		30
DORADO		30
GEMINI		30
INDUS		30
ENTRANCE	DOORS	31
CALISTO		31
ARA SET		32
TEA SET		32
ANDROMEDA		33
ORION SET		33
DOOR FRA	MES	34
FIXED REBATI	ED DOOR FRAME	34
REBATED ADJ	JUSTABLE DOOR FRAME	35
NON-REBATE	D ADJUSTABLE DOOR FRAME	36
SLIDING S	YSTEM	37
BASEBOAL	RD	38
LAMBECO	DECORATIVE LAMELLAS	39-40

NOTATION / TYPES OF VENEERS

REBATED DOOR

REBATED DOOR THE WING HAS A REBATE (INDENTATION, FITTING NOTCH) WHICH OVERLAPS THE DOOR FRAME.



NON-REBATED DOORS THE LEAF DOES NOT HAVE A FEEL DOOR LEAF WITH A FRAME CREATES A UNIFORM SURFACE.



SLIDING SYSTEM POSSIBILITY OF APPLICATION IN A SLIDING SYSTEM.



DUO SLIDING SYSTEM POSSIBILITY OF APPLICATION IN A DUO SLIDING SYSTEM.



BLACK GLASS VSG GLOSSY BLACK GLASS ON BOTH SIDES INSTEAD OF MILK GLASS.

NOTATION//



DESIGN: MDF FRAME DOORS MADE OF HIGH QUALITY MDF BOARD.



SLIM VERSION MODIFICATION OF THE MDF CONSTRUCTION TO REDUCE THE LOAD ON THE HINGES.




DESIGN: HONEYCOMB PLATE FRAME, FILLED BY LAYER WITH "HONEYCOMB" STRUCTURE.




DESIGN: SOLID DOUBLE PLATE FRAME, FILLED WITH SOFTENING BOARD SOLID CONSTRUCTION.



BLACK HDF INSTEAD OF MILK GLASS FILLED WITH BLACK HDF PLATE.





STANDARD VENEERS//









PREMIUM VENEERS//



BLACK

GRAY DAK GRAY









SCANDINAVIAN DAK

JAPANESE OAK

POLYPROPYLENE VENEER//








NEW! KASHMIR GRANDSON OAK RIBEIRA

A decorative polypropylene (PP) based film is an eco-friendly product. Its surface is protected by a transparent heat-cured coating to protect it from abrasion, scratching and chemical influences.



CHARACTERISTICS OF PP VENEER

- atch resistant
- abrasion resistant
- chemical resistant
- water resistant
- vapour resistant
- mould resistant
- light resistant
- easy to clean
- formaldehyde and heavy metal free

ECO-FRIENDLY PRODUCT

The PP veneers used by WINDOOR offer eco-friendly features:

- formaldehyde-free
- halogen-free
- plasticiser-free

The product also has other positive environmental properties:

- made of harmless pigments
- low-emission waste disposal using incineration

The composition and production of PP veneers fully comply with the REACH regulation.

DOOR CONSTRUCTION//

WINDOOR doors are manufactured in three basic types of construction: MDF frame, honeycomb and SOLID. Due to a wide range of solutions used, the product can be freely adjusted to meet specific customer needs.



CONSTRUCTION MDF

Prestige and SLIM series interior doors made of solid MDF.



CONSTRUCTION SOLID


Interior doors with double frame and SOLID acoustic panel.



CONSTRUCTION HONEYCOMB

Internal panel door with a frame filled with a layer of so-called honeycomb structure.

FRAME DOOR CONSTRUCTION//



DOOR CROSS SECTION

NON-REBATED DOORS//









NON-REBATED DOORS



NO REBATE VISIBLE



CONCEALED HINGE

A non-rebated door together with a dedicated frame creates a single plane, merging visually into the wall. That is what distinguishes a non-rebated door from a standard rebated door.

The rebated system is equipped with so-called screwed-in hinges, which are visible both when the door is closed and when it is opened. Assuming that the door is opened "towards your direction".

Doors in the non-rebated system are installed in the door frame on dedicated concealed hinges, which are not visible both when the door is closed and when it is opened.

Non-rebated doors have no notch (groove) overlapping the frame casing when the door is closed.

MODELS OF NON-REBATED DOORS

- FRAME DOORS
- LACQUERED DOORS
- SLIM SERIES
- CANIS

VSG BLACK GLASS//





VSG black glass is a laminated glass, produced by permanent bonding of two panes of glass with a bonding film.

Between the two panes of glass, the black bonding film is used to hold any fragments when the glass is broken, creating a "spider web".

DOORS AVAILABLE WITH BLACK VSG GLASS

- CHICAGO
- MINORIS
- CORVUS
- PEGASUS
- LIMES
- PRIM

The VSG glass used by WINDOOR can withstand high stresses and loads.

This product has many beneficial properties:

- greater safety (eliminates the risk of injury if broken)
- durability of construction
- higher resistance to breaking (glass does not break into small pieces)

MULLION

SLIM SERIES//

method.



PRESTIGE SERIES

SLIM SERIES

FRAME

FRAME

MULLION

The SLIM series is a new collection of WINDOOR interior doors that is characterised by a slimmer design due to the narrower width of the vertical frames but distinguished by a different construction


The SLIM series doors have many positive properties:

- slimmer design
- less weight
- less load on the hinges

DOOR MODELS AVAILABLE IN SLIM VERSION



LOFT ELEGANCE//













DOOD WINT!














7


LAMELLA//





LAMELLA MOUNTAIN OAK






8 www.windoor.pl

MOUNTAIN DAK

ELEGANCE//











WHITE SILVER SONOMA GRANDSON DAK MOUNTAIN DAK COUNTRY DAK RIBEIRA GRAY DAK GRAPHITE NORTH WALNUT DARK CONCRETE BLACK GRAY EUCALYPTUS

9


LIMES//





PEGASUS//







BESTSELLER






CHICAGO//





APUS//








WHITE SILVER SONDMA MOUNTAIN DAK COUNTRY DAK GRAY DAK NORTH WALNUT GRAY

PRIM//





CORVUS//























ROOM

BATHROOM

FULL



MENSA//





www.windoor.pl 16


RIBEIRA


GRANDSON DAK MOUNTAIN DAK COUNTRY DAK

GRAPHITE NORTH WALNUT DARK CONCRETE GRAY ASH

WHITE

MINORIS//





RIBEIRA

GRAY ASH

GRAPHITE

TRUFFLE

NORTH WALNUT

WALNUT DARK CONCRETE


17

WHITE

SONOMA GRANDSON DAK MOUNTAIN DAK COUNTRY DAK

TRAME//





CREDIS//






VIRGO//




SYRIUSZ//




TRE//



DALIA//



FIORE//



DRACO//


NORTH WALNUT

SILVER



FUTURO//










WHITE SILVER MOUNTAIN DAK NORTH WALNUT DARK CONCRETE BLACK GRAY

CANIS//





AVAILABLE LEAF WIDTHS: 60, 70, 80, 90

LEAF CONSTRUCTION:

- MDF FRAME COVERED WITH TWO HDF BOARDS
- STANDARD VERSION: HONEYCOMB CORE
- SOLID VERSION: WITH ACOUSTIC PANEL
- LEAF THICKNESS 39 MM

DOOR HARDWARE:

REBATED VERSION:

- 2 SCREWED-IN HINGES WITH 2D REGULATION
- LOCK: KEY, BATHROOM LOCK, INSERT OR ECONOMY LOCK

NON-REBATED VERSION:

- 2 SLOTTED HINGES (SUPPLIED WITH THE FRAME) HONEYCOMB
- 2 CONCEALED HINGES (SUPPLIED WITH THE FRAME) SOLID VERSION
- LOCK: MAGNETIC



NON-REBATED SOLID DOORS





SLOTTED HINGE NON-REBATED HONEYCOMB DOORS

NEW! UNIVERSAL DOOR

BY USING THE SLOTTED HINGES, THE CANIS LEAF IN THE NON-REBATED VERSION CAN BE INSTALLED AS A LEFT- OR RIGHT-HAND DOOR, ONLY WITH A DEDICATED FRAME.





WHITE


































SERPENS//





PANEL DOORS - OLGA / ZETA / TRIO


OLGA//














ROOM










TRIO//












ALBATROS//














ROOM










CERES//












MEMPHIS//











PRESTO//




ROOM









KARINA//




ROOM










CERES 2//
















CLASSIC//





WEGA//













FRAME MADE OF 44 THICK MDF BOARD.

"HONEYCOMB" STABILIZATION FILLING.

FRAME AND FILLING ARE COVERED WITH HDF BOARD FROM BOTH SIDES.

LEAF DOOR FRAME MADE OF PVC IN THE SAME COLOUR AS WOOD.

LACQUERED DOORS//



CALISTO//

















AVAILABLE WIDTHS: 80, 90

EQUIPMENT:

- FULL DOOR LEAF REBATED SYSTEM
- MDF BOARD STILE COVERED WITH TWO HDF BOARDS
- 34 MM THICKNESS WITH SOLID SOURCE BOARD.
- LEAF THICKNESS 40 MM.
- HDF BOARD COVERED WITH FINISH FOIL
- 3 SILVER HINGES
- 2 LOCKS FOR A PATENT INSERT


THESHOLDER AND ALUMINUM THRESHOLD SHOWN IN THE PICTURE ARE AVAILABLE AS SEPARATE PRODUCTS AND ARE NOT INCLUDED IN THE PRICE OF THE DOOR

ALUMINUM THRESHOLD FOR CALISTO DOORS



31

ARA SET / TEA SET//









TEA SET COUNTRY DAK

ARA/TEA DOORS ARE AVAILABLE WITH BLACK FRAME









AVAILABLE WIDTHS: 80, 90.

EQUIPMENT

- FULL DOOR LEAF REBATED SYSTEM WITH FIXED DOOR FRAME
- FRAME DOOR FROM MDF BOARD COVERED WITH TWO HDF BOARDS
- 34 MM THICKNESS WITH SOLID SOUNDPROOFING BOARD.
- STEEL FLAT BAR REINFORCEMENT 4 MM.
- LEAF THICKNESS 46 MM.
- HDF BOARD COVERED WITH FINISH FOIL
- 4 SILVER HINGES Ø 16 WITH 3D ADJUSTMENT
- ALUMINUM THRESHOLD WITH A GASKET
- ADDITIONAL GASKET IN THE LEAF
- 2 PIN LOCKS IN A SINGLE KEY SYSTEM
- 3 ANTI-BURGLING BOLTS ON THE HINGE SIDE





ANDROMEDA SET//





CHARACTERIZES BY SIMPLE

IS DESIGNED FOR ALL KIND

THEY WILL PERFECTLY FITS

IN THE ROOMS IN WHICH IS

AND TIMELESS FORM, THIS MODEL

OF OFFICES AND OTHER SPACES.

CONDUCTED SERVICE ACTIVITIES. SOLID WORKMANSHIP THIS IS ONLY ONE OF THE MANY ADVANTAGES.





SOUNDPROOF 32 DB







AVAILABLE WIDTHS: 80, 90.

EQUIPMENT:

- FULL DOOR LEAF REBATED SYSTEM WITH FIXED DOOR FRAME
- FRAME DOOR FROM MDF BOARD COVERED WITH TWO HDF
- 34 MM THICKNESS WITH SOLID SOUNDPROOFING BOARD.
- STEEL FLAT BAR REINFORCEMENT 4 MM.
- LEAF THICKNESS 46 MM.
- HDF BOARD COVERED WITH FINISH FOIL
- 4 SILVER HINGES Ø 16 WITH 3D ADJUSTMENT
- ALUMINUM THRESHOLD WITH A GASKET
- ADDITIONAL GASKET IN THE LEAF
- 2 PIN LOCKS IN A SINGLE KEY SYSTEM
- 3 ANTI-BURGLING BOLTS ON THE HINGE SIDE
- SET OF HANDLES WITH SLABS
- PANORAMIC VIEWFINDER.



DOORS RECOMMENDED FOR USE AS ENTRANCE FROM STAIRWAY TO FLATS.



ORION SET!











AVAILABLE WIDTHS: 80, 90

EQUIPMENT:

- FULL DOOR LEAF REBATED SYSTEM WITH FIXED DOOR FRAME
- MDF BOARD STILE COVERED WITH TWO HDF BOARDS
- 34 MM THICKNESS WITH SOLID BOARD.
- REINFORCEMENT WITH A STEEL FLAT BAR THICKNESS 4 MM.
- LEAF THICKNESS 46 MM.
- HDF BOARD COATED WITH VARNISH
- 4 SILVER HINGES Ø 16 WITH 3D ADJUSTMENT - ALUMINUM THRESHOLD WITH A GASKET
- ADDITIONAL GASKET IN THE LEAF
- 2 PIN LOCKS FOR A PATENT INSERT
- 3 ANTI-BURGLARY BOLTS ON THE HINGE SIDE

AVAILABLE COLOURS:





WHITE PAINT GRAY PAINT



FIXED DOOR FRAMES//




Designed for rebated internal doors, the fixed frame consists of two main vertical beams (base) and one horizontal beam (header).


The fixed frame is equipped with:

- three screwed-in hinges
- rubber gasket

We recommend the additional masking elements consisting of a slat and quarter round for the fixed frame.







DIMENSIONS OF THE DOOR AND THE FIXED FRAME

	DOOR	"60"	"70"	"80"	"90"	"100"				
S	FRAME/PANEL DOORS WIDTH	642/644	742/744	842/844	942/944	1042/1044				
Α	CLEAR WIDTH OF THE FRAME	599	699	799	899	999				
В	EXTERNAL WIDTH IN THE FRAME	687	787	887	987	1087				
С	WIDTH OF THE OPENING IN THE WALL	707	807	907	1007	1107				
D	WIDTH OF THE DOOR FRAME WITH A MASKING STRIP	799	899	999	1099	1199				
W1	CLEAR HEIGHT OF THE FRAME	2024								
W2	DOOR HEIGHT			2036						
wз	EXTERNAL HEIGHT OF THE FRAME			2068						
W4	HEIGHT OF THE OPENING IN THE WALL	2078								
W5	HEIGHT OF THE DOOR FRAME WITH A MASKING STRIP	2124								

ADJUSTABLE REBATED DOOR FRAME//



Designed for rebated internal doors, the adjustable frame consists of two main vertical beams (base) and one horizontal beam (head).

The frame set includes three screwed-in hinges and a rubber gasket.


The front part on both sides consists of 6 cm or 8 cm wide flat masking casings.

Due to a wide range of regulation, the adjustable frame can be fitted in walls up to 64 cm thick.

ADJUSTMENT RANGE (MM)

80	100	140	180
1	1	Ü	1
100	140	180	220


220	240	280	320	360	380	420	460
1	1	1	1	1	1	1	1
240	280	320	360	380	420	460	500
1	widenii	ng pane	1	2	wideni	ng pan	els



500


1 520 WALL

CORNER STRIP





	DOOR	"60"	"70"	"80"	"90"	"100"			
S	FRAME/PANEL DOORS WIDTH	642/644	742/744	842/844	942/944	1042/1044			
Α	CLEAR WIDTH OF THE FRAME	599	699	799	899	999			
В	EXTERNAL WIDTH IN THE FRAME	643	743	843	943	1043			
С	WIDTH OF THE OPENING IN THE WALL	673	773	873	973	1073			
D	WIDTH OF THE DOOR FRAME WITH A MASKING STRIP 60/80	743/783	843/883	943/983	1043/1083	1143/1183			
W1	CLEAR HEIGHT OF THE FRAME			2026					
W2	DOOR HEIGHT			2036					
W3	EXTERNAL HEIGHT OF THE FRAME			2048					
W4	HEIGHT OF THE OPENING IN THE WALL	2063							
W5	HEIGHT OF THE DOOR FRAME WITH A MASKING STRIP 60/80	2096/2116							



35





Designed for non-rebated internal doors, the adjustable frame consists of two main vertical beams (base) and one horizontal beam (head).

The frame set includes two concealed hinges (a third hinge can be ordered) and a rubber gasket.


The front part on both sides consists of 6 cm or 8 cm wide flat masking casings.

Due to a wide range of regulation, the adjustable frame can be fitted in walls up to 63 cm thick.

ADJUSTMENT RANGE (MM)


80	95	115	135	155	175	195	215	235	255	275	295	315	335	355
1	1	1	Ï	1	1	I	1	1	1	1	1	1	1	1
95	115	135	155	175	195	215	235	255	275	295	315	335	355	375
										1 wi	donina	nanol		


375	395	415	435	455	475	495	515	535	255	575	595	615
1	1	1	1	1	1	E	1	1	1	1	1	1
395	415	435	455	475	495	515	535	555	275	595	615	635
	2	widenii	ng pane	ls				3 wid	ening p	anels		




DIMENSIONS OF THE DOOR AND PANEL FRAME - NON-REBATED DOORS

	DOOR	"60"	"70"	"80"	"90"	"100"			
S	FRAME/PANEL DOORS WIDTH	642/644	742/744	842/844	942/944	1042/1044			
Α	CLEAR WIDTH OF THE FRAME	625	725	825	925	1025			
В	EXTERNAL WIDTH IN THE FRAME	669	769	869	969	1069			
С	WIDTH OF THE OPENING IN THE WALL	699	799	899	999	1099			
D	WIDTH OF THE DOOR FRAME WITH A MASKING STRIP 60/80	769/809	869/909	969/1009	1069/1109	1169/1209			
W1	CLEAR HEIGHT OF THE FRAME		2034						
W2	DOOR HEIGHT								
WЗ	EXTERNAL HEIGHT OF THE FRAME	2056							
W4	HEIGHT OF THE OPENING IN THE WALL	2071							
W5	HEIGHT OF THE DOOR FRAME WITH A MASKING STRIP 60/80	2106/2126							







SLIDING SYSTEM//



WALL SLIDING SYSTEM

With the sliding system, a door leaf can be installed in rooms where a traditional door cannot or is not desired. The door leaf moves on aluminium guides above the door opening.

The aluminium guide (Fig. 1) is the main component of the sliding system. The set includes the rollers and the necessary mounting accessories. If you want to conceal the guide, we recommend the purchase of a cover.

The cover panel for the sliding system (fig. 2) serves as a curtain rod, covering the guide that is the main element of the sliding system. The set also includes a spacer bar and a bumper bar in the same veneer.





fig. 1

fig. 2


WALL SLIDING SYSTEM DUO

With the DUO sliding system, it is possible to install two sliding leaves within one system, thus enabling the door to be fitted in a much wider opening in the wall.


The standard version of the aluminium guide, which like in the single system is the main element of the DUO sliding system, is equipped with an additional symmetric DUO mechanism, thus providing the effect of simultaneous sliding of both leaves.








BASEBOARD//





BASEBOARD

A skirting board is a finishing element used when installing floors, with an aesthetic and practical function.

Made of MDF, the board is highly durable and easy to process, which allows it to be adapted to various shapes and dimensions of rooms.

These boards perfectly mask the gaps between the floor and the wall, while protecting the edges of the floors from mechanical damage.

The variety of available veneers allows them to be matched to any interior design, emphasizing the elegance and finish of the room.

- 2050 X 80 X 14 mm
- 2050 X 100 X 14 mm




LAMDECO TRE//



LAMDECO decoration panels are an elegant and versatile finishing solution for interiors. They are lightweight, durable and easy to install. The variety of colors allows you to match them to any interior style.

LAMDECO TRE SYSTEM ELEMENTS:

- triple internal panel / 37 x 178 x 2750 mm
- single starting panel / 37 x 66 x 2750 mm
- single ending panel / 37 x 28 x 2750 mm




LAMDECO TRE BIANCO



LAMDECO TRE NERO




LAMDECO QUATTRO//



You can finish walls, ceilings or furniture with LAMDECO decoration panels, giving rooms a modern and elegant look. LAMDECO made of high-quality materials guarantee not only an aesthetic appearance, but also practical benefits.

LAMDECO QUATTRO SYSTEM ELEMENTS:

- quadruple internal panel / 11 x 178 x 2750 mm
- single starting $\,$ panel / 11 x 52 x 2750 $\,$ mm $\,$
- single ending panel / 11 x 30.5 x 2750 mm







LAMDECO QUATTRO NERO



WINDOOR



REGION 1 MOB. +48 503 040 395 REGIONI@WINDOOR.PL REGION 2 MOB. +48 505 298 449 REGION2@WINDOOR.PL REGION 3 MOB. +48 511 948 514 REGION3@WINDOOR.PL REGION 4 MOB. +48 504 722 807 REGION4@WINDOOR.PL

WINDOOR SP. Z O. O. - OFFICE

5 Zofii Holszańskiej Street 26-600 Radom, POLAND

NIP: 7963015542 REGON: 524063880 KRS: 0001011385 BD0: 000092664

biuro@windoor.pl

WHOLESALE AND RETAIL SALES

65 Warszawska Street 26-660 Wsola near Radom, POLAND

mob. +48 509 377 363

hurtownia@windoor.pl detal@windoor.pl