# WINDOOR


DOORS CATALOGUE **2023** 







### STANDARD VENEERS//



WHITE



SILVER



SONOMA



WALNUT

### **PREMIUM VENEERS//**



**NEW! GRAY ASH** 



GRAY OAK



GRAPHITE



TRUFFU F



**NEW! DARK CONCRETE** 



BLACK



GRAY



NORTH WALNUT



NEW! COUNTRY OAK



MOUNTAIN OAK



SCANDINAVIAN OAK



JAPANESE OAK

# NOTATION//



NON-REBATED DOORS





REBATED DOOR THE WING HAS A REBATE (INDENTATION, FITTING NOTCH) WHICH OVERLAPS THE DOOR FRAME.



SLIDING SYSTEM POSSIBILITY OF APPLICATION IN A SLIDING SYSTEM.

**DUO SLIDING SYSTEM** POSSIBILITY OF APPLICATION IN A SLIDING SYSTEM.



DESIGN: HONEYCOMB



**DESIGN: HONEYCOMB** PLATE FRAME, FILLED BY LAYER WITH "HONEYCOMB" STRUCTURE.

QUALITY MDF BOARD.

DESIGN: MDF

FRAME DOORS MADE OF HIGH



**DESIGN: SOLID** DOUBLE PLATE FRAME, FILLED WITH SOFTENING BOARD SOLID CONSTRUCTION.



DOOR WIDTH WE MANUFACTURE OUR DOORS RANGE FROM 60 TO 90 CM.

# DOOR STRUCTURE//



# **DOOR TYPES//**























CHICAGO




MINORIS



PRIM



### CHICAGO//





### www.windoor.pl

# **FUTURO**//



ROOM







WIDTH 70 - 90



# MENSA//




ROOM













### SYRIUSZ//







### DRACO//







### www.windoor.pl

### VIRGO//















ROOM


# PRIM//



ROOM












### MINORIS//







# APUS//










POKOJOWE

### DALIA//












# TRE//



ROOM













### PEGASUS//







### CREDIS//









ROOM

### TRAME//






















ROOM

# FIORE//














WIDTH 60 - 90



ROOM



### LIMES//








ROOM

### **ELEGANCE**//









FULL

# CLASSIC//





BATHROOM

# LYNX//



















# SERPENS//





BATHROOM



FULL









BATHROOM



FULL













# COLUMB//





**MEMPHIS//** 

FULL



















# PRESTO//







KARINA//



FULL







BATHROOM



FULL














# OLGA//














ZETA//













DESIGN HONEYCOMB

TRIO//




ROOM









FULL

### ALBATROS//

















ROCO//




















FULL

# **CERES**//

















ROOM

BATHROOM

FULL

# CERES 2//















CANIS//

















# WEGA//













FRAME MADE OF 44 THICK MDF BOARD.

"HONEYCOMB" STABILIZATION FILLING.

FRAME AND FILLING ARE COVERED WITH HDF BOARD FROM BOTH SIDES.

LEAF DOOR FRAME MADE OF PVC IN THE SAME COLOUR AS WOOD.

# ARIES//



# DORADO//



**GEMINI**//




INDUS//



LACQUERED DOORS

WHITE DOORS ARE PERFECT FOR MODERN ARRANGEMENTS AS WELL AS CLASSIC CONSTRUCTION, WHICH MAKES THEM TIME-LESS. THE ADVANTAGES INCLUDE THEIR VERSATILITY AND EASY REPAIR OF DAMAGE.





# **ORION SET//**











**AVAILABLE WIDTHS: 80, 90** 

### **EQUIPMENT:**

- FULL DOOR LEAF REBATED SYSTEM WITH FIXED DOOR FRAME
- MDF BOARD STILE COVERED WITH TWO HDF BOARDS
- 34 MM THICKNESS WITH SOLID BOARD.
- REINFORCEMENT WITH A STEEL FLAT BAR THICKNESS 4 MM.
- LEAF THICKNESS 46 MM.
- HDF BOARD COATED WITH VARNISH
- 4 SILVER HINGES Ø 16 WITH 3D ADJUSTMENT
- ALUMINUM THRESHOLD WITH A GASKET
- ADDITIONAL GASKET IN THE LEAF
- 2 PIN LOCKS FOR A PATENT INSERT
- 3 ANTI-BURGLARY BOLTS ON THE HINGE SIDE

### **AVAILABLE COLOURS:**







GRAY PAINT



### ANDROMEDA SET//





ANDROMEDA INTERIOR DOOR

CHARACTERIZES BY SIMPLE

IS DESIGNED FOR ALL KIND

AND TIMELESS FORM, THIS MODEL

OF OFFICES AND OTHER SPACES.





SUIMUDDUUE








AVAILABLE WIDTHS: 80. 90.

### **FOUIPMENT:**

- FULL DOOR LEAF REBATED SYSTEM WITH FIXED DOOR FRAME
- FRAME DOOR FROM MDF BOARD COVERED WITH TWO HDF BOARDS
- 34 MM THICKNESS WITH SOLID SOUNDPROOFING BOARD.
- STEEL FLAT BAR REINFORCEMENT 4 MM.
- LEAF THICKNESS 46 MM.
- HDE BOARD COVERED WITH FINISH FOIL
- 4 SILVER HINGES Ø 16 WITH 3D ADJUSTMENT
- ALUMINUM THRESHOLD WITH A GASKET
- ADDITIONAL GASKET IN THE LEAF
- 2 PIN LOCKS IN A SINGLE KEY SYSTEM
- 3 ANTI-BURGLING BOLTS ON THE HINGE SIDE
- SET DE HANDI ES WITH SI ABS
- PANORAMIC VIEWFINDER.





DOORS RECOMMENDED FOR USE AS ENTRANCE FROM STAIRWAY TO FLATS.



### CALISTO//













**AVAILABLE WIDTHS: 80, 90** 

### EOUIPMENT:

- FULL DOOR LEAF REBATED SYSTEM
- MDF BOARD STILE COVERED WITH TWO HDF BOARDS
- 34 MM THICKNESS WITH SOLID SOURCE BOARD.
- LEAF THICKNESS 40 MM.
- HDF BOARD COVERED WITH FINISH FOIL
- 3 SILVER HINGES
- 2 LOCKS FOR A PATENT INSERT



### ARA SET / TEA SET //





TEA SET COUNTRY OAK

ARA SET MOUNTAIN OAK











AVAILABLE WIDTHS: 80, 90.

### EOUIPMENT:


- FULL DOOR LEAF REBATED SYSTEM WITH FIXED DOOR FRAME
- FRAME DOOR FROM MOE BOARD COVERED WITH TWO HOE BOARDS
- 34 MM THICKNESS WITH SOLID SOUNDPROOFING BOARD.
- STEEL FLAT BAR REINFORCEMENT 4 MM.
- LEAF THICKNESS 46 MM.
- HDE BOARD COVERED WITH FINISH FOIL
- 4 SILVER HINGES Ø 16 WITH 3D ADJUSTMENT
- ALUMINUM THRESHOLD WITH A GASKET
- ADDITIONAL GASKET IN THE LEAF
- 2 PIN LOCKS IN A SINGLE KEY SYSTEM
- 3 ANTI-BURGLING BOLTS ON THE HINGE SIDE







# FIXED DOOR FRAMES //



### DIMENSIONS OF THE DOOR AND THE FIXED FRAME

	DOOR	"60"	"70"	"80"	"90"	"100"		
S	DOOR WIDTH	644	744	844	944	1044		
Α	WIDTH OF THE OPENING IN THE WALL	717	817	917	1017	1117		
В	EXTERNAL WIDTH IN THE FRAME	687	787	887	987	1087		
С	CLEAR WIDTH OF THE FRAME	599	699	799	899	999		
D	WIDTH OF THE DOOR FRAME WITH A MASKING STRIP	790	890	990	1090	1190		
W1	DOOR HEIGHT							
W2	HEIGHT OF THE OPENING IN THE WALL	2085						
W3	EXTERNAL HEIGHT OF THE FRAME	2070						
W4	CLEAR HEIGHT OF THE FRAME	2026						
W5	HEIGHT OF THE DOOR FRAME WITH A MASKING STRIP	MASKING STRIP 2120						

### PANEL DOOR FRAME//



### DESIGN

A DOOR FRAME BODY CONSISTS OF 22 MM THICK MDF BOARD. THE FRONT PART (FROM A DOOR SIDE) AND THE ADJUSTING PART ARE MADE OF FLAT ANGLE STRIPS. THE AFORESAID ELEMENTS ARE COVERED WITH A CORRECT VENEER TYPE. THE PRODUCT ALLOWS TO CHANGE WIDTH BY UP TO 20 MM AND VARIOUS RANGES ALLOW TO EMBED IT WITHIN A 80-360 MM THICK WALL. EACH PANEL DOOR FRAME CAN BE EQUIPPED WITH A THIRD HINGE.

### APPLICATION

PANEL DOOR FRAMES CAN BE USED WITH:

- TWO SCREWED HINGES: ALL INTERIOR REBATED LACQUERED AND FOILED DOOR, EXCEPT FROM "CALISTO"
- · THREE SCREWED HINGES: ALL MODULAR DOORS



ADJUSTMENT RANGE (MM)

REBATED DOORS NON-REBATED DOORS

ADJUST	MENI	RANGE	[MM]

80	100	140	180	220	240	280	320	80	05	115	125	155	175	225
1	1	1	1	1	1	1	1			113				
100	140	180	220	240	280	320	360	1						
								95	115	135	155	175	195	 355

### A PANEL DOOR FRAME CONSISTS OF:


A SET OF RIGHT OR LEFT VERTICAL BASES (DEPENDING ON A DOOR OPENING DIRECTION) WITH MASKING ELEMENTS, HINGES, DOOR GASKET, ACCESSORIES NEEDED TO ASSEMBLE A DOOR FRAME AND AN UPPER HORIZONTAL BEAM ADJUSTED TO A DOOR LEAF WIDTH, INCLUDING MASKING ELEMENTS. A DOOR FRAME IS PACKED IN CARDBOARD BOXES (AN UPPER HORIZONTAL BEAM IS PLACED IN A SEPARATE BOX, AS WELL AS WIDENING PANELS INCLUDED IN SETS LARGER THAN THE 180-200 MM RANGE).

### DIMENSIONS OF THE DOOR AND PANEL FRAME

	DOOR	"60"	"70"	"80"	"90"	"100"		
S	DOOR WIDTH	644	744	844	944	1044		
С	WIDTH OF THE OPENING IN THE WALL	677	777	877	977	1077		
В	EXTERNAL WIDTH IN THE FRAME	642	742	842	942	1042		
А	CLEAR WIDTH OF THE FRAME	599	699	799	899	999		
D	DOOR FRAME COVERING WIDTH	742	842	942	1042	1142		
W1	DOOR HEIGHT	2040						
W2	HEIGHT OF THE OPENING IN THE WALL			2062	2062			
WЗ	EXTERNAL HEIGHT OF THE FRAME	2047						
W4	CLEAR HEIGHT OF THE FRAME	2024						
W5	FRAME COVER HEIGHT	2097						

### DIMENSIONS OF THE DOOR AND PANEL FRAME - NON-REBATED DOORS

	DOOR	"60"	"70"	"80"	"90"	"100"		
s	DOOR WIDTH	644	744	844	944	1044		
С	WIDTH OF THE OPENING IN THE WALL	706	806	906	1006	1106		
В	EXTERNAL WIDTH IN THE FRAME	666	766	866	966	1066		
А	CLEAR WIDTH OF THE FRAME	623	723	823	923	1023		
D	DOOR FRAME COVERING WIDTH	766	866	966	1066	1166		
W1	DOOR HEIGHT			2040				
W2	HEIGHT OF THE OPENING IN THE WALL			2075				
W3	EXTERNAL HEIGHT OF THE FRAME	2060						
W4	CLEAR HEIGHT OF THE FRAME	2036						
W5	FRAME COVER HEIGHT	2110						





### **PANEL CHANNEL**//

### DESIGN

A PANEL CHANNEL IS THE PRODUCT DESIGNED FOR DECORATIVE COVERAGE OF A SPACE IN A WALL OR AS AN OPTIONAL SOLU-TION FOR A WALL SLIDING SYSTEM. PRODUCT DESIGN IS VERY SIMILAR TO A PANEL DOOR FRAME, HOWEVER IT HAS NO HINGES AND A LOCK BRACKET. THE BODY IS MADE OF 22 MM THICK MOF PANEL. THE FRONT AND ADJUSTING PARTS ARE MADE OF FLAT ANGLE STRIPS. THE AFORESAID ELEMENTS ARE COVERED WITH A CORRECT VENEER TYPE. THE PRODUCT ALLOWS TO CHANGE WINTH BY JIP TO 20 MM AND VARIOUS RANGES ALLOW TO EMBED IT WITHIN A 80-350 MM THICK WALL.

### APPLICATION

A PANEL CHANNEL CAN BE USED AS:

- · A SEPARATE PRODUCT TO COVER A SPACE IN A WALL
- AN OPTIONAL SOLUTION FOR A WALL SLIDING SYSTEM



ADJUSTMENT RANGE (MM)

80	100	140	180	220	240	280	320
I	1	1	1	1	1	1	1
100	1/10	180	220	2/10	280	320	360

### A PANEL CHANNEL CONSISTS OF

A SET OF RIGHT OR LEFT VERTICAL BASES (DEPENDING ON A DOOR OPENING DIRECTION) WITH MASKING ELEMENTS, HINGES, DOOR GASKET, ACCESSORIES NEEDED TO ASSEMBLE A DOOR FRAME AND AN UPPER HORIZONTAL BEAM ADJUSTED TO A DOOR LEAF WIDTH, INCLUDING MASKING ELEMENTS.

A CHANNEL IS PACKED IN CAROBOARD BOXES (AN UPPER HORIZONTAL BEAM IS PLACED IN A SEPARATE BOX, AS WELL AS WIDENING PANELS INCLUDED IN SETS LARGER THAN THE 180-200 MM RANGE).


### BASEBOARD//







### SLIDING SYSTEM//



**DUO SLIDING SYSTEM//** 

### WALL SLIDING SYSTEM

THIS SOLUTION ALLOWS FOR EASY ASSEMBLY OF A LEAF IN ROOMS WHERE WE CANNOT OR DO NOT WANT TO USE TRADITIONAL DOORS. A DOOR LEAF IS MOVED ON ALUMINUM GUIDES MOUNTED ABOVE A DOOR SPACE, THE SLIDING SYSTEM IS A SINGLE-TYPE SYSTEM.



### A SLIDING SYSTEM CONSISTS OF:


- · ALUMINUM GUIDE WITH ROLLERS AND FIXING ELEMENTS
- · SPACING BOARD
- · CURTAIN ROD COVER IN THE SAME COLOUR AS A LEAF
- · BUMPER BEAM IN THE SAME COLOUR AS A LEAF

### WALL SLIDING SYSTEM DUO

MULTI DUO SLIDING DOORS ARE THE PERFECT SOLUTION FOR PEOPLE WHO RELY ON OPTIMUM USE OF APARTMENT SPACE. APPLIED IN OUR DOORS THE DUO SLIDING SYSTEM THANKS TO USE OF THE SIMPLE AND FAULT-FREE TECHNOLOGY ENABLES EXPANSION AND CLOSING BOTH DOOR LEAVES AT ONCE, WITHOUT NECESSITY TO MOVE EACH LEAF SEPARATE



HOOK LOCK ADDITIONAL FEE






- A SLIDING SYSTEM CONSISTS OF:
  - · ALUMINUM GUIDE WITH ROLLERS AND FIXING ELEMENTS · SPACING BOARD

  - · CURTAIN ROD COVER IN THE SAME COLOUR AS A LEAF · BUMPER BEAM IN THE SAME COLOUR AS A LEAF

### **LAMELLA PANELS**//







# **WINDOOR**



MOB. +48 503 040 395 REGION1@WINDOOR.PL

REGION 2 MOB. +48 505 298 449 REGION2@WINDOOR.PL

MOB. +48 511 948 514 REGION3@WINDOOR.PL

MOB. +48 504 722 807 REGION4@WINDOOR.PL

### WINDOOR SP. Z O. O. - OFFICE

5 Zofii Holszańskiej Street 26-600 Radom, POLAND

NIP: 7963015542 REGON: 524063880 KRS: 0001011385 BD0: 000092664

biuro@windoor.pl

### WHOLESALE AND RETAIL SALES

65 Warszawska Street 26-660 Wsola near Radom, POLAND

mob. +48 509 377 363

hurtownia@windoor.pl detal@windoor.pl